

OPS-M

Promethean's OPS-M is a Windows® Module that is purpose-built for schools using the Microsoft® ecosystem. Slot the Windows Module directly into the ActivPanel™ or ActivPanel i-Series for a seamless, all-in-one, large format Windows experience.

Seamless Windows Integration With The ActivPanel and ActivPanel i-Series





Available in Two Configurations

Select from the Windows Module that comes with Windows 10 IoT pre-installed or the model without the operating system.



Performance and Reliability

The Windows Module includes the Intel® Core™ i5 Processor, 8 GB of RAM, and a Solid-State Drive offering faster access with greater reliability.



Easy to Install

The Windows Module slides into the OPS slot providing a seamless integration without worrying about loose cables and power supply.

omethean OPS-M 2018SS 01/18 v1.2 EN Page 1



GENERAL SPECIFICATIONS

Open Pluggable Specification (OPS)
Available in 2 configurations:
1. No Operating System
2. Pre-installed with Windows 10 IoT
Intel i5-6200U (up to 2.8 GHz)
Integrated Intel HD Graphics 520 (supports 4K @ 60 Hz)
8 GB DDR4
256 GB SSD
Yes

CONNECTIVITY

HDMI Out	x1 (1.4b)
USB 2.0	x2
USB 3.0	x2
Headphone	x1
Microphone	xl
Network Connectivity	x1 RJ-45 (10/100/1000Mbps), IEEE® 802.11a/b/g/n/ac,
	Wireless 802.11AC 2x2, (867 Mbps), Bluetooth® 4.2

POWER

Power Requirements	12-19 V DC
Power Consumption Maximum	35 W
Power Consumption Standby	0.5 W

ENVIRONMENTAL

Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-20°C to 60°C (-4°F to 140°F)
Operating Humidity	10% to 95%
Storage Humidity	10% to 90%

PHYSICAL SPECIFICATIONS

Product Dimensions	180 x 120 x 30 mm (7.1 x 4.7 x 1.2 in)
Packed Dimensions	214 x 262 x 67 mm (8.4 x 10.3 x 3 in)
Net Weight	0.72 kg (1.6 lbs)
Packed Weight	0.88 kg (1.9 lbs)

PACKED CONTENTS

What's in the Box OPS-M x1, Antenna x2, Installation Guide x1

COMPLIANCE & CERTIFICATION

Regulatory Certification FCC, IC, CE, CB, UL, CUL

WARRANTY

Standard Warranty 3-Year Warranty. For more information,

INSTALLATION

The installation of this product should be completed by a qualified installer. Use of components not supplied by Promethean or not meeting minimum specifications may impact performance, safety and warranty. For more information, visit Support.PrometheanWorld.com.

SUPPORT


For all Promethean products, visit Support.PrometheanWorld.com.

methean OPS-M 2018 SS 01/18 v1.2 EN Page 2



TECHNICAL DRAWINGS

REF	DESCRIPTION	DIMENSION mm[inch]
DIM A	UNIT HEIGHT BACK	29.6[1.17]
DIM B	OVERALL DEPTH EXCLUDING SCREWS	132[5.18]
DIM C	OVERALL DEPTH INCLUDING SCREWS	120[4.70]
DIM D	OVERALL WIDTH BACK	180 [7.09]
DIM E	CONNECTOR DEPTH	4[0.16]
DIM F	OVERALL DEPTH INCLUDING HANDLE	149 [5.85]
DIM G	DISTANCE BETWEEN ANTENNA	164.00[6.46]
DIM H	ANTENNA LENGTH	180 [7.09]
DIM I	DISTANCE BETWEEN THUMB SCREWS	192[7.56]
DIM J	OVERALL WIDTH FRONT	200 [7.87]
DIM K	UNIT HEIGHT FRONT	30[1.18]



Windows is a registered trademarks or trademarks of Microsoft Corporation. All other trademarks are the property of their respective owners. This spec sheet is an independent publication and is neither affiliated with, nor authorized, sponsored, or approved by, Microsoft Corporation. Intel and Intel Core are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

Promethean OPS-M 2018 SS 01/18 v1.2 EN

Page 3

Promethean